

USPTO PATENT FULL-TEXT AND IMAGE DATABASE[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Bottom](#)[View Cart](#)

Searching 1976 to present...

Results of Search in 1976 to present db for:

((IN/bratz AND solid) AND sulfonylurea): 4 patents.

Hits 1 through 4 out of 4

[Jump To](#)[Refine Search](#)

PAT. NO. Title

- 1 [6,683,030](#) **T** [Agrotechnical formulation](#)
 - 2 [6,559,098](#) **T** [Sulphonylurea and/adjuvant based solid mixtures](#)
 - 3 [6,482,772](#) **T** [Sulphonyl urea and adjuvant based solid mixtures](#)
 - 4 [6,242,382](#) **T** [Solid mixtures based on sulfonylureas and adjuvants](#)
-

[Top](#)[View Cart](#)[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Bottom](#)[View Cart](#)

Searching 1976 to present...

Results of Search in 1976 to present db for:

((AN/BASF AND solid) AND sulfonylurea): 36 patents.

Hits 1 through 36 out of 36

[Jump To](#)[Refine Search](#)

PAT.
NO.

Title

- 1 [6,831,041](#) **T** [Oil suspension concentrates based on a cyclohexenone oxime ether lithium salt and the use thereof as plant protection agents](#)
- 2 [6,794,335](#) **T** [Synergistically active herbicidal mixtures](#)
- 3 [6,683,030](#) **T** [Agrotechnical formulation](#)
- 4 [6,653,529](#) **T** [Use of the maize X112 mutant ahas 2 gene and imidazolinone herbicides for selection of transgenic monocots, maize, rice and wheat plants resistant to the imidazolinone herbicides](#)
- 5 [6,559,098](#) **T** [Sulphonylurea and/adjuvant based solid mixtures](#)
- 6 [6,482,772](#) **T** [Sulphonyl urea and adjuvant based solid mixtures](#)
- 7 [6,451,734](#) **T** [Substituted 3-benzylpyrazoles and their use as herbicides](#)
- 8 [6,413,911](#) **T** [Herbicidal sulfonylureas, their preparation and use](#)
- 9 [RE37,664](#) **T** [Use of derivatives of N-phenyl-3,4,5,6-tetrahydrophthalimide for the desiccation and abscission of plant organs](#)
- 10 [6,362,133](#) **T** [Synergistically active herbicidal mixtures](#)
- 11 [6,242,382](#) **T** [Solid mixtures based on sulfonylureas and adjuvants](#)
- 12 [6,235,904](#) **T** [2-amino \(fluoroalkoxy\) pyrimidines and the preparation thereof](#)
- 13 [6,214,769](#) **T** [Herbicidal N-\[\(1,3,5-triazin-2-yl\)-aminocarbonyl\]-benzenesulfonamides](#)
- 14 [6,054,410](#) **T** [Herbicidal mixtures having a synergistic effect](#)
- 15 [5,635,450](#) **T** [Herbicidal N-\[\(1,3,5-Triazin-2-yl\)-aminocarbonyl\]-benzenesulfonamides](#)
- 16 [5,612,286](#) **T** [Herbicidal N-\[pyrimidin-2-yl\] aminocarbonyl\]-benzenesulfonamides](#)
- 17 [5,591,694](#) **T** [Herbicidal sulfonylureas](#)
- 18 [5,488,029](#) **T** [Herbicidal N- \[1,3,5-triazin-2-yl\)-aminocarbonyl\]-benzenesulfonamides](#)
- 19 [5,478,798](#) **T** [Herbicidal N-\[\(1,3,5-triazin-2-yl\)-aminocarbonyl\]-benzenesulfonamides](#)

- 20 [5,434,124](#) **T** [Sulfonylurea derivatives and their use](#)
 - 21 [5,386,036](#) **T** [Dicarboximides, their preparation and their use as herbicides](#)
 - 22 [5,378,680](#) **T** [Dicarboximides and their use as herbicides](#)
 - 23 [5,364,833](#) **T** [Cyclohexenone oxime ethers, their preparation and their use as herbicides](#)
 - 24 [5,280,009](#) **T** [Substituted pyrimidine derivatives and their use for controlling undesirable plant growth](#)
 - 25 [5,276,009](#) **T** [Dicarboximides and their use as herbicides](#)
 - 26 [5,276,007](#) **T** [Herbicidal sulfonylureas](#)
 - 27 [5,260,318](#) **T** [Phenylpiperidylamines and drugs containing them](#)
 - 28 [5,252,540](#) **T** [Sulfonamides](#)
 - 29 [5,188,657](#) **T** [Herbicidal sulfonylureas and their use](#)
 - 30 [5,176,739](#) **T** [Dicarboximides and their use as herbicides](#)
 - 31 [5,100,459](#) **T** [Substituted sulfonylureas](#)
 - 32 [5,087,282](#) **T** [Sulfonylurea agents for defoliating cotton](#)
 - 33 [5,069,710](#) **T** [N-\(\(6-trifluoromethyl pyrimidin-2-yl\)-aminocarbonyl\)-2-carboalkoxybenzenesulfonamides](#)
 - 34 [5,045,105](#) **T** [Use of derivatives of n-phenyl-3,4,5,6-tetrahydrophthalimide for the desiccation and abscission of plant organs](#)
 - 35 [5,032,167](#) **T** [Substituted sulfonylureas](#)
 - 36 [4,999,041](#) **T** [Use of diphenyl ether derivatives for the desiccation and abscission of plant organs](#)
-

[Top](#) [View Cart](#)
[Home](#) [Quick](#) [Advanced](#) [Pat Num](#) [Help](#)